

E&K[®] Machinery Tools



CHINA OFFICE: EK TOOLS
ADD: A-1215, NEW TIMES PLAZA, NO.163, SECTION 1,
FURONG (M) ROAD, CHANGSHA, HUNAN, CHINA
TEL: +86-731-85531548/85569983
FAX: +86-731-85584309/85463905
E-MAIL: ektools@hotmail.com; info@ektools.com
UK OFFICE: ZEITGEIST INC.
ADD: 13 BROADFIELD, MANCHESTER, LANCASHIRE
UNITED KINGDOM, M14 4WB
TEL: +44(0)7799168916 FAX: +44(0)1612264560
E-MAIL: zeitgeist_inc@hotmail.com



长沙亿克工具有限公司
CHINA HUNAN E&K TOOLS INC.


COMPANY PROFILE

China Hunan E & K Tools Inc. is specializing in designing, manufacturing and exporting quality tools. Established in 2000, E & K has been making great progress. In 2001, we set up one factory in Hangzhou, manufacturing high quality precision tools and accessories. In 2003, we opened a sales window in U.K. for the purpose of entering into European market. In 2007, we set up another factory for stainless steel machinery tools . Up to now, we have built a large net of distribution world widely.

E & K is always pleased to provide you with the detailed information of our products. Join us to gain a win-win in the international market, that's www.ektools.com, thank you.




EK-4101 Standard Medium Duty Live Center




Morse Taper: MT3H-M4H-MT5H-MT6H-MT1B-MT2B
MT3B-MT4B-MT5B-MT6B-MT3X-MT4X-5X
Shaft Diameter(MM): 30-32-40-70-15-20-32-40-70-30-32-40
Length(MM): 180-208-256-379-120-145-180-208-256-379-186-218-266
Accuracy: 0.005MM

EK-4102 Standard Heavy Duty Live Center



Morse Taper: MT3H-MT4H-MT5H-MT3B-MT4B-MT5B
Shaft Diameter(MM): 25-32-40-25-32-40
Length(MM): 186-223-263-186-223-263
Accuracy: 0.005MM

EK-4103 High-Speed Outside Rotating Center



Morse Taper: MT3H-MT4H-MT5H-MT3B-MT4B
MT5B-MT3C-MT4C-MT5C
Shaft Diameter(MM): 30-32-40-30-32-40-30-32-40
Length(MM): 182-192-215-256-182-192-215-256-192-225-266
Accuracy: 0.005MM

EK-4104

Standard Medium Duty Live Center



Morse Taper: MT3H-M4H-MT5H-MT6H-MT1B-MT2B
MT3B-MT4B-MT5B-MT6B-MT3X-MT4X-5X
Shaft Diameter(MM): 30-32-40-70-15-20-32-40-70-30-32-40
Length(MM): 180-208-256-379-120-145-180
208-256-379-186-218-266
Accuracy: 0.005MM

EK-4105

Standard Heavy Duty Live Center



Morse Taper: MT3H-MT4H-MT5H-MT3B-MT4B-MT5B
Shaft Diameter(MM): 25-32-40-25-32-40
Length(MM): 186-223-263-186-223-263
Accuracy: 0.005MM

EK-4106

Precision High Speed Live Center



Morse Taper: MT3H-MT4H-MT5H-MT3B-MT4B
MT5B-MT3C-MT4C-MT5C
Shaft Diameter(MM): 30-32-40-30-32-40-30-32-40-
Length(MM): 182-192-215-256-182-192-215-256-192-225-266
Accuracy: 0.005MM

EK-4107

Precision Heavy Duty Live Center(Heavy load operation)



Morse Taper: MT6.6T-MT6.8T-MT6.10T
m80.8T-m80.10T-m80.12T
Shaft Diameter(MM): 60-70-80-70-80-85
Length(MM): 412-440-440-412-440-524
Accuracy: 0.01MM

EK-4108

Medium Duty Live Center(Outside Rotating)



Morse Taper: MT.3H-MT.4H-MT.5H-MT.3B-MT.4B-MT.5B
MT.3X-MT.4X-MT.5X
Shaft Diameter(MM): 45-53-68-45-53-68-45-53-68
Length(MM): 180-208-256-180-208-256-186-218-266
Accuracy: 0.005MM

EK-4109

Umbrella Type Live Center



Morse Taper: MT2-MT3-MT3-MT4
Shaft Diameter(MM): 12-15-25-40-45-81-92-120
Length(MM): 132-149-156-171-183-208-256-300
Accuracy: 0.005MM/0.01MM/0.02MM

EK-4110

Light Duty Live Center



Morse Taper: MT1-MT2-MT3-MT4-MT5-MT6
 Shaft Diameter(MM): 12.065-17.78-23.82-31.267-44.39-63.3
 Length(MM): 113.6-141.3-167.6-204-256.1-357.5
 Accuracy: 0.02MM

EK-4111

Precision Medium Duty Live Center



Morse Taper: MT4H-MT5H-MT4B-MT5B
 MT4X-MT5X-MT4C-MT5C
 Shaft Diameter(MM): 30-35-30-35-30-35-30-35
 Length(MM): 201-245-201-245-209-255-197-237
 Accuracy: 0.005MM

EK-4112

Precision Medium Duty Live Center



Morse Taper: MT3H-M4H-MT5H-MT3B
 MT4B-MT5B-MT3X-MT4X-MT5X
 Shaft Diameter(MM): 30-32-40-30-32-40-30-32-40
 Length(MM): 180-208-256-180-208-256-180-208-256
 Accuracy: 0.005MM

EK-4119

BT ER Collet Chucks



Type:
 BT30XER11 BT40XER32
 BT30XER16 BT40XER40
 BT30XER20 BT40XER50
 BT30XER25 BT50XER16
 BT30XER32 BT50XER20
 BT30XER40 BT50XER25
 BT40XER11 BT50XER32
 BT40XER16 BT50XER40
 BT40XER20 BT50XER50
 BT40XER25

EK-4122

BT Milling Chucks



Type:
 BT30XC20 BT50XC20
 BT30XC25 BT50XC25
 BT40XC20 BT50XC32
 BT40XC25 BT50XC42
 BT40XC32

EK-4120

NT(ISO) ER Collet Chucks



Type:
 NT30XER16 NT40XER40
 NT30XER20 NT40XER50
 NT30XER25 NT50XER16
 NT30XER32 NT50XER20
 NT30XER40 NT50XER25
 NT40XER16 NT50XER32
 NT40XER20 NT50XER40
 NT40XER25 NT50XER50
 NT40XER32

EK-4123

NT Milling Chucks



Type:
 R8XC20 NT40XC25
 NT30XC20 NT40XC32
 NT30XC25 NT50XC25
 NT30XC32 NT50XC32
 NT40XC20 NT50XC42

EK-4121

Pull Stud (BT Standard Model)



Type:
 BT30-45° BT50-60°
 BT40-45° BT30-90°
 BT50-45° BT40-90°
 BT30-60° BT50-90°
 BT40-60°

EK-4124

ER Spring Collet System



Type:
 ER8X9 ER25X15
 ER11X7 ER32X6
 ER11X13 ER32X11
 ER16X8 ER32X18
 ER16X10 ER40X7
 ER20X10 ER40X15
 ER20X12 ER40X23
 ER25X7 ER50X17

EK-4125

ER Collets(DIN6499)



Model: ER8,ER11,ER16,ER20,ER25,ER32,ER40,ER50
Length(mm): 13.5,18.0,27.5,31.5,34,40,46,60

EK-4128

R8 Collet



Clamping range: 1-22mm(3/64" - 7/8")
1-25mm(3/64" - 1")
3-14mm(1/8" - 9/16")
3-19mm(1/8" - 3/4")

EK-4126

OZ Collets(DIN6488)



Model: OZ 25
Inside Hole Size(mm): 6,8,10,12,16,20,25,32

EK-4129

Drill Chuck Arbors



Type: NT drill chuck arbor (B10-B12-B16-B18-B22-B24)
R8 drill chuck arbor (B10-B12-B16-B18-B22-B24)
MSA drill chuck arbor (B10-B12-B16-B18-B22-B24)
Straight shank drill chuck arbor (B10-B12-B16-B18-B22-B24)

EK-4127

ER Collets(DIN6499)



Model: ER8,ER11,ER16,ER20,ER25,ER32,ER40,ER50

EK-4130

Sleeves Series



Type: MS taper sleeve(2-1,3-2,4-3,5-4,6-5)
NT/MS adapter sleeve (NT30-MT1,2,3,4/NT40-MT1,2,3,4/NT50-MT1,2,3,4)
R8/MS adapter sleeve(R8-1,R8-2,R8-3,R8-4)
MS Extension socket with MS hole (1-2,2-3,3-4,4-5,5-6)

EK-4131

Boring Head



Model: MS3/F1-2 MS4/F1-3
MS3/F1-3 R8/F1-2
MS4/F1-2 R8/F1-3

EK-4201

Keyless Drill Chucks with Double Sleeves

Joining Dimension:
3/8" -24UNF(1/2" -20UNF)
Capacity: 2-13mm
D:42mm L: 64mm
Weight:0.18kg

Joining Dimension:
3/8" -24UNF(1/2" -20UNF)
Capacity: 2-13mm
D:42mm L: 64mm
Weight:0.18kg



EK-4132

Three-Jaw Self-Centering Chuck



Diameter: 80MM-100MM-110MM-125MM-130MM
160MM-165MM-190MM-200MM-240MM
250MM-315MM-320MM-350MM-380MM
400MM-500MM-630MM

EK-4202

Keyless Drill Chucks with Double Sleeves

Joining Dimension:
3/8" -24UNF(1/2" -20UNF)
Capacity: 2-13mm
D:43mm L: 75mm
Weight:0.26kg

Joining Dimension:
3/8" -24UNF(1/2" -20UNF)
Capacity: 2-13mm
D:43mm L: 75mm
Weight:0.26kg



EK-4133

Four-Jaw Independent Chuck



Diameter: 80MM-100MM-125MM-160MM-200MM
250MM-300MM-320MM-350MM-400MM
450MM-500MM-630MM-800MM-1000MM

EK-4203

Keyless Drill Chucks with Double Sleeves

Joining Dimension:
3/8" -24UNF(1/2" -20UNF)
Capacity: 0.8-10mm
D:47mm L: 64mm
Weight:0.18kg

Joining Dimension:
3/8" -24UNF(1/2" -20UNF)
Capacity: 2-13mm
D:43mm L: 75mm
Weight:0.26kg





KEYLESS DRILL CHUCKS

EK-4204

Keyless Drill Chucks with Single Sleeve

Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity: 0.8-10mm
D:43mm L: 64.5mm
Weight:0.19kg



Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity: 1.5-13mm
D:41mm L: 54.5mm
Weight:0.13kg



EK-4207

Keyless Drill Chucks with Lock Function

Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity: 2-13mm
D:43mm L: 73mm
Weight:0.28kg



Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity: 2-13mm
D:43mm L: 73mm
Weight:0.28kg



EK-4205

Keyless Drill Chucks with Metal Rear Sleeve

Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity: 2-13mm
D:43mm L: 76mm
Weight:0.31kg



Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity: 2-13mm
D:43mm L: 76mm
Weight:0.31kg



EK-4208

Keyless Drill Chucks with Lock Function

Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity: 0.8-10mm
D:47mm L: 63mm
Weight:0.18kg



Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity: 2-13mm
D:43mm L: 76mm
Weight:0.24kg



EK-4206

Keyless Drill Chucks with All Metal Sleeve

Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity: 0.8-10mm
D:41mm L: 63mm
Weight:0.22kg



Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity: 0.8-10mm
D:41mm L: 63mm
Weight:0.22kg



EK-4209

Heavy Duty Keyless Drill Chucks

Joining Dimension:
3/8 " -24UNF(1/2 " -20UNF)
Capacity:
0.2-3mm 0.5-8mm
0.2-4mm 1-10mm
0.3-4mm 1-13mm
0.6-6mm 3-16mm
Weight: 0.3kg,0.5kg,0.6kg,0.9kg



DRILL CHUCKS WITH KEY



EK-4210

Light Duty Key-Type Drill Chucks

Joining Dimension: 1/2 " -20UNF
Capacity: 1.5-13mm
D:42mm L:74mm
Weight: 0.36kg



Joining Dimension: B16
Capacity: 3-16mm
D:49.5mm L:87mm
Weight: 0.51kg



Joining Dimension: B16
Capacity: 1.5-13mm
D:42.5mm L:74mm
Weight: 0.30kg

EK-4213

Light Duty Key-Type Drill Chucks

Joining Dimension: 1/2 " -20UNF
Capacity: 1-10mm
D:34mm L:60.5mm
Weight: 0.21kg



Joining Dimension: 3/8 " -24UNF
Capacity: 1-10mm
D:34mm L:60.5mm
Weight: 0.21kg



EK-4211

Light Duty Key-Type Drill Chucks

Joining Dimension: B10
Capacity: 0.6-6.5mm
D:30mm L:50mm
Weight: 0.11kg



Joining Dimension: 3/8 " -24UNF
Capacity: 0.6-6.5mm
D:30mm L:50mm
Weight: 0.11kg



Joining Dimension: B12
Capacity: 1.5-10mm
D:33.5mm L:57.5mm
Weight: 0.15kg

EK-4214

Light Duty Key-Type Drill Chucks

Joining Dimension: 1/2 " -20UNF
Capacity: 1.5-13mm
D:43mm L:74mm
Weight: 0.4kg



Joining Dimension: 3/8 " -24UNF
Capacity: 1.5-13mm
D:43mm L:74mm
Weight: 0.4kg



EK-4212

Light Duty Key-Type Drill Chucks

Joining Dimension: 1/2 " -20UNF
Capacity: 1.5-10mm
D:34mm L:59mm
Weight: 0.2kg



Joining Dimension: 3/8 " -24UNF
Capacity: 1.5-10mm
D:34mm L:59mm
Weight: 0.2kg



Joining Dimension: M12X1.25
Capacity: 1.5-10mm
D:34mm L:59mm
Weight: 0.2kg

EK-4215

Light Duty Key-Type Drill Chucks

Joining Dimension: M12X1.25
Capacity: 1.5-13mm
D:43mm L:74mm
Weight: 0.38kg



Joining Dimension: B12
Capacity: 1.5-13mm
D:42mm L:73mm
Weight: 0.26kg



Joining Dimension: JT6
Capacity: 1.5-13mm
D:42mm L:73mm
Weight: 0.26kg



DRILL CHUCKS WITH KEY

EK-4216

Light Duty Key-Type Drill Chucks

Joining Dimension: 1/2 " -20UNF
Capacity: 3-16mm
D:49.5mm L:87mm
Weight: 0.51kg



Joining Dimension: 3/8 " -24UNF
Capacity: 3-16mm
D:49.5mm L:87mm
Weight: 0.51kg



Joining Dimension: M12X1.25
Capacity: 3-16mm
D:49.5mm L:87mm
Weight: 0.51kg

EK-4219

Key-Type Drill Chucks with Anti-Dust Function

Joining Dimension: 1/2 " -20UNF
Capacity: 1.5-13mm
D:43mm L:82mm
Weight: 0.43kg



Joining Dimension: 3/8 " -24UNF
Capacity: 1.5-13mm
D:43mm L:82mm
Weight: 0.43kg



Joining Dimension: M12X1.25
Capacity: 1.5-13mm
D:43mm L:82mm
Weight: 0.43kg

EK-4222

Heavy Duty Key-Type Drill Chucks

Joining Dimension: B12, JT2, 3/8 " -24UNF
Capacity: 1-10mm
D:43mm L:71mm
Weight: 0.38kg



Joining Dimension: B16, JT6, 1/2 " -20UNF
Capacity: 1-13mm
D:53mm L:89mm
Weight: 0.72kg



Joining Dimension: B16, B18
Capacity: 3-16mm
D:57mm L:94mm
Weight: 0.96kg

EK-4225

Heavy Duty Key-Type Drill Chucks

Joining Dimension: B12, JT2
Capacity: 1-10mm
D:44mm L:74mm
Weight: 0.38kg



Joining Dimension: B16, B18, JT6, JT33
Capacity: 1-13mm
D:53mm L:89mm/93mm
Weight: 0.70kg



Joining Dimension: JT3, B22
Capacity: 5-20mm
D:64mm L:106mm
Weight: 1.30kg

EK-4217

Key-Type Drill Chucks with Male Thread

Joining Dimension: 1/2 " -20UNF
Capacity: 1.5-13mm
D:43mm L:89mm
Weight: 0.45kg



Joining Dimension: 3/8 " -24UNF
Capacity: 1.5-10mm
D:34mm L:71mm
Weight: 0.25kg



EK-4220

Heavy Duty Key-Type Drill Chucks

Joining Dimension: B16, JT33
Capacity: 1-13mm, 3-16mm
D:53mm L:89mm
Weight: 0.70kg



Joining Dimension: JT3
Capacity: 1-16mm
D:57mm L:100mm
Weight: 0.85kg



Joining Dimension: JT3
Capacity: 5-20mm
D:64mm L:106mm
Weight: 1.30g

EK-4223

Heavy Duty Key-Type Drill Chucks

Joining Dimension: 1/2 " -20UNF
Capacity: 1.5-13mm
D:45.5mm L:74mm
Weight: 0.38kg



Joining Dimension: 1/2 " -20UNF
Capacity: 1-13mm/3-16mm
D:53mm L:89mm
Weight: 0.70kg



Joining Dimension: B12, JT2, 3/8 " -24UNF
Capacity: 1-10mm
D:37.5mm L:61mm
Weight: 0.21kg

EK-4226

Drill Chucks with Key



1-10mm
1.5-13mm
1/2 " -20UNF
3/8 " -24UNF

EK-4218

Key-Type Drill Chucks with Carbide Jaws

Joining Dimension: 1/2 " -20UNF
Capacity: 2-13mm
D:43.5mm L:74mm
Weight: 0.33kg



Joining Dimension: 1/2 " -20UNF
Capacity: 2-13mm
D:42mm L:72mm
Weight: 0.33kg



EK-4221

Heavy Duty Key-Type Drill Chucks

Joining Dimension: JT6
Capacity: 1.5-13mm
D:45mm L:74mm
Weight: 0.45kg



Joining Dimension: JT33
Capacity: 1.5-13mm
D:45mm L:74mm
Weight: 0.45kg



EK-4224

Heavy Duty Key-Type Drill Chucks

Joining Dimension: B16, JT33
Capacity: 1-13mm
D:53mm L:89mm/93mm
Weight: 0.60kg



Joining Dimension: B12, B16, 1/2 " -20UNF
Capacity: 2-13mm
D:44mm L:72mm
Weight: 0.36kg



Joining Dimension: B16, B18, JT6, 1/2 " -20UNF
Capacity: 3-16mm
D:53mm L:89mm
Weight: 0.60kg

EK-4227

Keyless Drill Chucks



1-10mm
1-13mm
1/2 " -20UNF
3/8 " -24UNF



HSS TWIST DRILL SETS

EK-4301
4PCS Twist Drill Set

Size: 1/8 "
 3/16 "
 1/4 "
 3/8 "
 Packing: Inner: Plastic Box
 Outer: Carton
 N.W/G.W: 15/16kg
 Meas:40X20X18cm


EK-4304
13PCS Twist Drill Set


Size(mm): 1.5mm,2mm,2.5mm
 3mm,3.2mm,3.5mm
 4mm,4.5mm,4.8mm
 5mm,5.5mm,6.5mm
 Packing: Inner: Plastic Box
 Outer: Carton
 N.W/G.W: 16/17kg
 Meas:48X34.5X24mm


EK-4302
10PCS Twist Drill Set

Size A: 5/64 " Size B:1mm
 3/32 " 2mm
 7/64 " 3mm
 9/64 " 4mm
 5/32 " 5mm
 11/64 " 6mm
 13/64 " 7mm
 7/32 " 8mm
 15/64 " 9mm
 1/4 " 10mm
 Packing: Inner: Plastic Box
 Outer: Carton
 N.W/G.W: 18/19kg
 Meas: 48X34.5X24


EK-4305
19PCS Twist Drill Set

Size(mm): 1mm,1.5mm,2mm
 2.5mm,3mm,3.5mm
 4mm,4.5mm,5mm
 5.5mm,6mm,6.5mm
 7mm,7.5mm,8mm
 8.5mm, 9mm,9.5mm,10mm
 Packing: Inner: Plastic Box
 Outer: Carton
 N.W/G.W: 16/17kg
 Meas:40X34X19mm


EK-4303
10PCS Twist Drill Set

Size(mm):
 6pcs twist drill size:
 5/64 " ,3/32 " ,7/64 "
 1/8 " ,3/16 " ,1/4 "
 4pcs masonry drill size:
 3/16 " ,1/4 " ,5/16 " ,3/8 "
 Packing: Inner: Plastic Box
 Outer: Carton
 N.W/G.W: 16/17kg
 Meas:48X34.5X24mm


EK-4306
Twist Drill(single piece)

D(mm): 0.2,0.25,0.3,0.35.....0.95mm
 1.0,1.1,1.2,1.3.....10.0mm
 10.1,10.2,10.3,.....20.0mm



MASONRY DRILL SETS


EK-4401
5PCS Masonry Drill Set

Size(mm): 4mm,5mm,6mm
 8mm,10mm
 Packing: Inner: Plastic Box
 Outer: Carton
 N.W/G.W: 14/15kg
 Meas:40X25X18mm


EK-4404
8PCS Masonry Drill Set

Size(mm): 3mm,4mm,5mm,6mm
 7mm,8mm,9mm,10mm
 Packing: Inner: Plastic Box
 Outer: Carton
 N.W/G.W: 14/15kg
 Meas:40X25X18mm


EK-4402
5PCS Masonry Drill Set


Size(mm): 4mm,5mm,6mm
 8mm,10mm
 Packing: Inner: Plastic Box
 Outer: Carton
 N.W/G.W: 14/15kg
 Meas:40X25X18mm


EK-4405
8PCS SDS Drill Set

Size(mm): (5,6,8,10)X110
 (6,8,10,12)X160
 Packing: Inner: Plastic Box
 Outer: Carton
 N.W/G.W: 18/19kg
 Meas:33X28X23.5mm


EK-4403
8PCS Masonry Drill Set

Size(mm): 3mm,4mm,5mm,6mm
 7mm,8mm,9mm,10mm
 Packing: Inner: Plastic Box
 Outer: Carton
 N.W/G.W: 16/17kg
 Meas:48X34.5X24mm


EK-4406
8PCS SDS Drill Set

Size(mm): (5,6,8,10)X110
 (6,8,10,12)X160
 Packing: Inner: Aluminum Box
 Outer: Carton
 N.W/G.W: 14/15kg
 Meas:40X25X18mm





WOOD WORKING DRILL SETS

EK-4501

5PCS Wood Working Drill Set



Size(mm): 4mm,5mm,6mm
7mm,8mm,10mm
Packing: Inner: Plastic Box
Outer: Carton
N.W/G.W: 15/16kg
Meas:40X25X18mm

EK-4504

Wood Working Forstner Bit Set



Size(mm): 10,12,15,16,18,20,22, 25,26,28,
30,35,40,45,50
Packing: Inner: Wood Box
Outer: Carton
N.W/G.W: 20/21kg
Meas:35X29.5X33mm

EK-4502

8PCS Wood Working Drill Set



Size(mm): 3mm,4mm,5mm,6mm
7mm,8mm,9mm,10mm
Packing: Inner: Plastic Box
Outer: Carton
N.W/G.W: 16/17kg
Meas:40X25X18mm

EK-4505

12PCS Router Bit Set



1. 45 chamfer bit
2. Flush trim bit
3. Straight bit
4. Straight bit
5. Round nose bit
6. Dovetail bit
7. grooving bit
8. Rounding over bit
9. Rounding over bit
10. Cove bit
11. Slot Cutter bit
12. Roman ogee bit

EK-4503

6PCS Wood Flat Drill Set



Size(mm): 3/8,1/2,5/8,3/4,7/8,1 "
10,12,16,18,20,25mm
Packing: Inner: PVC Box
Outer: Carton
N.W/G.W: 14/15kg
Meas:38X25X32mm

EK-4506

35PCS Router Bit Set



- | | | |
|-----------------------|------------------------|---------------------------|
| 1. Flush trim bit | 19. Beading bit | 30. Wavy edge bit |
| 2. Flush trim bit | 20. Cove bit | 31. Classical bit |
| 3. Flush trim bit | 21. Cove bit | 32. Classical bit |
| 4. Flush trim bit | 22. Cove bit | 33. Double Roman ogee bit |
| 5. Flush trim bit | 23. Roman ogee bit | 34. Double Roman ogee bit |
| 6. Slot cutter bit | 24. Roman ogee bit | 35. Double Roman ogee bit |
| 7. Slot cutter bit | 25. Roman ogee bit | |
| 8. Slot cutter bit | 26. Panelling bit | |
| 9. Slot cutter bit | 27. Panelling bit | |
| 10. 45° chamfer bit | 28. Ogee fillet Bit | |
| 11. 45° chamfer bit | 29. Classical cove bit | |
| 12. 45° chamfer bit | | |
| 13. 45° chamfer bit | | |
| 14. Rounding over bit | | |
| 15. Rounding over bit | | |
| 16. Rounding over bit | | |
| 17. Beading bit | | |
| 18. Beading bit | | |

COMBINATION DRILL SETS


EK-4601

9PCS Combination Drill Set



3pcs combination drill
3pcs twist drill
3pcs masonry drill
N.W/G.W: 12/14kg
Meas:29X27X24mm

EK-4604

26PCS Combination Drill Set



12pcs twist drill
9pcs bits 50mm
5pcs socket spanner
Packing: Plastic box
N.W/G.W: 12/14kg
Meas:50X34.5X17.5mm

EK-4602


15PCS Combination Drill Set



4pcs masonry drills
size:5,6,8,10mm
6pcs bits
4pcs wood working drill
size:5,6,8,10mm
1pc magnetic holder
N.W/G.W: 14/16kg
Meas:40X25X18mm

EK-4605


110PCS Combination Drill Set



Wood working drill
Twist drill(Tin coated)
Bits
N.W/G.W: 13/15kg
Meas:50.5X35.5X27mm

EK-4603

17PCS Combination Drill Set



4pcs hex shank wood drill set
size 3,4,5,6mm
5pcs hex shank drill saw
size 3,4,5,6mm
3pcs hex shank masonry drill
size 4,5,6mm
2pcs straight shank masonry drill
size 8,10mm
2pcs straight shank wood drill
size 8,10mm
1pcs countersink 12mm
N.W/G.W: 12/14kg
Meas:50X34.5X17.5mm

EK-4606

301PCS Combination Drill Set




7pcs HSS twist drill
size:2,3,4,5,6,8,10mm
5pcs tin masonry drill
size: 4,5,6,8,10mm
5pcs tin wood working drill
size:4,5,6,8,10mm
1pcs tin saw drill
6pcs bits
1pcs magnetic holder
196pcs wall plug:5,6,8,10
80pcs wood screws:5,6,8,10mm
N.W/G.W: 12/14kg
Meas:46.5X27X22mm

EK-4701

Diamond Saw Blade(Dry Cutting)

Diameter:105mm/4 "
110mm/4.3 "
115mm/4.5 "
125mm/5 "
150mm/6 "
180mm/7 "
200mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
350mm/14 "



EK-4704

Turbo Saw Blade

Diameter:105mm/4 "
110mm/4.3 "
115mm/4.5 "
125mm/5 "
150mm/6 "
180mm/7 "
200mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
350mm/14 "



EK-4707

T.C.T Saw Blade (Wood Cutting)

Diameter:
110mm/4 "
160mm/6 "
180mm/7 "
205mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
355mm/14 "
405mm/16 "
455mm/18 "
505mm/20 "



EK-4710

T.C.T Saw Blade (Aluminum Cutting)

Diameter:
110mm/4 "
125mm/5 "
150mm/6 "
180mm/7 "
200mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
350mm/14 "
400mm/16 "
450mm/18 "
500mm/20 "



EK-4702

Diamond Saw Blade(Wet Cutting)

Diameter:105mm/4 "
110mm/4.3 "
115mm/4.5 "
125mm/5 "
150mm/6 "
180mm/7 "
200mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
350mm/14 "



EK-4705

Diamond Saw Blade (Grinding Wheel)

Diameter:105mm/4 "
110mm/4.3 "
115mm/4.5 "
125mm/5 "
150mm/6 "
180mm/7 "
200mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
350mm/14 "



EK-4708

T.C.T Saw Blade (Hard Wood Cutting)

Diameter:
110mm/4 "
160mm/6 "
180mm/7 "
205mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
355mm/14 "
405mm/16 "
455mm/18 "
505mm/20 "



EK-4711

T.C.T Saw Blade (Low Noise)

Diameter:
110mm/4 "
160mm/6 "
180mm/7 "
205mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
355mm/14 "
405mm/16 "
455mm/18 "
505mm/20 "



EK-4703

Turbo Saw Blade (Wet & Dry Cutting)


Diameter:105mm/4 "
110mm/4.3 "
115mm/4.5 "
125mm/5 "
150mm/6 "
180mm/7 "
200mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
350mm/14 "



EK-4706

Diamond Saw Blade (Laser Welded)

Diameter:200mm/8 "
250mm/10 "
300mm/12 "
350mm/14 "
400mm/16 "
500mm/20 "
600mm/25 "



EK-4709

T.C.T Saw Blade (Hard Wood Cutting)

Diameter:
110mm/4 "
160mm/6 "
180mm/7 "
205mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
355mm/14 "
405mm/16 "
455mm/18 "
505mm/20 "



EK-4712

T.C.T Saw Blade (Grass Cutting)

Diameter:
110mm/4 "
160mm/6 "
180mm/7 "
205mm/8 "
230mm/9 "
250mm/10 "
300mm/12 "
355mm/14 "
405mm/16 "
455mm/18 "
505mm/20 "





TAP AND DIE SETS

EK-4801

16PCS Tap and Die Set



7PC Taps size: 6-32, 8-32, 1/4-20, 5/16-18
3/8-16, 7/16-14, 1/2-13
7PC Taps: size as taps
1PC Die handle
1PC Tap wrench M3-M12

EK-4804

31PCS Tap and Die Set

Inch:
13pcs dies size: 1/4-20, 5/16-18, 3/8-16
7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10
7/8-9, 1-8, 1 1/8-7, 1 1/8-12, 1 1/4-17
13pcs taps: size as dies
2pcs die holder: 2" 21/2"
1pc adaptor: 1 1/2" OD
2pcs Tap wrench: M4-M12 M9-27

Metric:
13pcs dies size: M6X1.0, M8X1.25, M10X1.5
M12X1.75, M14X2.0, M16X2.0, M18X2.5
M20X2.5, M22X2.5, M24X3.0, M24X3.0
M26X3.0, M28X.0, M30X3.5
13pcs taps: size as dies
2pcs die holder: 2" 21/2"
1pc adaptor: 1 1/2" OD
2pcs tap wrench: M4-M12 M9-27


EK-4802

24PCS Tap and Die Set

Inch:
5UNF Inch dies size:
1/4-28, 5/16-24, 3/8-24, 7/16-20, 1/2-20
5UNC dies size:
1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13
5UNF taps: size as dies
5UNC taps: size as dies
NPT die & tap size: 1/8-27
Tap wrench
Die handle 1" OD

Metric:
10PC Dies size:
5X0.8, 5X0.9, 6X1.0, 6X0.75, 8X1.25
8X1.0, 10X1.5, 10X1.25
12X1.75, 12X1.5
NPT die size: 1/8-27
10 taps: size as dies
NPT tap size: size as dies
Tap wrench
Die handle 1" OD


EK-4805

40PCS Tap and Die Set

Metric:
16PC dies sizes: 3X0.5, 3X0.6, 4X0.7
4X.75, 5X0.8, 5X0.9, 6X1.0, 6X0.75, 7X0.75
7X1, 8X1.25, 8X1.0, 10X1.25, 10X1.5, 12X1.75, 12X1.5
NPT die size: 1/8-27
16PC taps: size as dies
NPT tap size: 1/8-27
Tap wrench
Die handle: 1" OD
T type tap wrench 1/4" capacity
Screw-pitch gauge
screwdriver

Inch:
10UNC dies size: 4-40, 6-32, 8-32, 10-24, 12-24
1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13
6UNF dies size: 10-32, 1/4-28, 5/16-24
3/8-24, 7/16-20, 1/2-20
NPT die size: 1/8-27
10UNC taps: sizes as dies
6UNF taps: sizes as dies
NPT size: 1/8-27



Tap wrench
Die handle: 1" OD
T type tap wrench 1/4" capacity
Screw-pitch gauge
screwdriver

EK-4803

28PCS Tap and Die Set



Metric:
8PC die size: 3X0.5, 3.5X0.6, 4X0.7, 5X0.8
6X1.0, 8X1.25, 10X1.5, 12X1.75
8PC taps: size as dies
8PC plug taps (bottoming): size as dies
Tap wrench 1/2" capacity
T type tap wrench 1/4" capacity
Die handle 1" OD
Screw-pitch gauge

EK-4806

45PCS Tap and Die Set

Metric:
20PC dies size: 6X1.0, 6X.75, 8X1.25, 8X1.0
10X1.5, 10X1.25, 12X1.75, 12X1.5, 14X2.0
14X1.5, 16X2.0, 16X1.5, 18X2.5, 18X1.5, 20X2.5
20X1.5, 22X2.5, 22X1.5, 24X3.0, 24X1.5
20PC taps: size as dies.
Tap wrench
Die handle 2" OD with adaptor
T type tap wrench 1/4" capacity
screwdrivers

Inch:
10 UNF dies size: 1/4, 5/16, 3/8, 7/16, 1/2
9/16, 5/8, 3/4, 7/8, 1"
10 UNC dies size: 1/4, 5/16, 3/8, 7/16, 1/2
9/16, 5/8, 3/4, 7/8, 1"
20PC Taps: size as dies
Tap wrench
T type tap wrench 1/4" capacity
Die handle 2" OD with adaptor
Screwdriver



TOOL BITS AND TURNING TOOLS


EK-4901

Carbide-Tipped Turning Tools

Type: Boring tools
Grooving tools
Straight turning tools
Cranked turning tools
External threading tools
Internal Threading tools
Offset turning & Facing tools
Straight round nose turning tools
Cranked round nose turning tools


EK-4904

HSS Center Drills



Diameter: 2.5mm, 3.15mm, 4mm, 6mm, 6.3mm
8mm, 10mm, 12.5mm, 16mm, 20mm
Length: 31.5mm, 35.5mm, 40mm, 45mm, 50mm
56mm, 63mm, 71mm

EK-4902

Cemented Carbide Braze Tips



Type: YT15 5-50mm, A, B, C
YG6 5-50mm, A, B, C, D
YG6X 5-50mm, A, B, C, D, E

EK-4905

HSS Milling Cutter



Diameter: 3mm-70mm

EK-4903

Tungsten Steel Grinding Heads



Diameter: 4mm, 5mm, 6mm
Length: 38mm, 40mm, 45mm, 48mm

EK-4906

T.C.T Milling Cutter



Diameter: 3mm-70mm



MACHINE VISE

EK-4907

HSS Tool Bits



Size: 3.0mm/1/8 " 10.0mm/3/8 "
 5.0mm/3/16 " 12.0mm/1/2 "
 6.0mm/1/4 " 15.0mm/5/8 "
 8.0mm/5/16 " 20.0mm/3/4 "
 25.0mm/1 "

EK-4910

Modular Clamping Kit



Size: 42/set "T" slot 12mm
 36/set "T" slot 14mm
 58/set "T" slot 18mm

EK-4908

Metal Slotting Saws



Diameter: 32mm-200mm

EK-4911

Horizontal and Vertical Rotary Table



Model: RT-HV6, RT-HV8, RT-HV10, RT-HV12, RT-HV14
 Table Diameter: 150MM, 200MM, 300MM, 350MM
 Center Sleeve: MT2-MT3-MT4

EK-4909


Precision Vise



Jaw Width: 10MM-125MM-150MM-175MM-200MM
 Jaw Height: 30MM-40MM-50MM-60MM-65MM
 Jaw Opening: 100MM-150MM-200MM-300MM-400MM
 Length: 270MM-345MM-420MM-455MM-495MM-526MM
 555MM-595MM-695MM

EK-4912

High Milling Machine Vise



Model: LV-100, LV-130, LV-150, LV-150X, LV-200
 Jaw Width: 105MM, 130MM, 154MM, 200MM
 Jaw Opening: 110MM-120MM-160MM-190MM-218MM
 Jaw Height: 34MM-97MM-112.5MM-140MM

CHINA HUNAN E & K TOOLS INC.



PROFESSIONAL

长沙亿克工具有限公司

