



Locking Tools

Office:

CHINA HUNAN E&K TOOLS INC.

ADD: 121A-1215, NEW TIMES PLAZA, NO.163, SECTION 1,
FURONG (M) ROAD, CHANGSHA, HUNAN, CHINA

TEL: +86-731-85531548/85569983

FAX: +86-731-85584309/85463905

E-MAIL: ektools@hotmail.com; info@ektools.com

Website: www.ektools.cn www.ektools.com

Factory:

HANGZHOU DONGHUA MEASURING & CUTTING TOOLS CO., LTD

ADD: NO.8-10TH RD, DONGZHOU INDUSTRIAL ZONE,
HANGZHOU, ZHEJIANG, CHINA

TEL: +86-571-63408367

FAX: +86-571-63408368

E-MAIL: ektools@hotmail.com



E&K

E&K

E&K

E&K

E&K

E&K

E&K

E&K

Contents

目录



06-15 / Brass Padlock

16-23 Stronghold Padlock

24-29 / Rustproof Weatherproof Padlock

30-43 / General Use Padlock

44-47 / Combination Padlock

48-57 / Luggage&Travel Padlock

58-61 / Colored Padlock



Brass Padlock



Rustproof Weatherproof Padlock



Stronghold Padlock



General Use Padlock



Combination Padlock Series



Luggage Padlock Series




Colorful padlock series

Blossom lock Introduction
Brass Padlock




BC90 UNIQUE SHAPE SHACKLE HALF PROTECTED BRASS PADLOCK



1. Brass lock body, artistic and waterproof
2. Brass cylinder, high strength, high accuracy, anti-rust, more durable
3. 3 brass keys, artistic and waterproof
4. 30mm above with hardened steel shackle, anti-cutting, anti-sawing, short shackle and long shackle available, stainless steel shackle spring, more durable
5. Brass tongue, more durable ,30mm above with 2 brass tongues, double locking
6. Brass pins, more accurate
7. Available for outdoor environment

Product Number	Size (mm)	Options	Weight (g)	Shackle Length (mm)	Shackle Width (mm)	Shackle Strength & Endurance (N/mm²)						The 2014
						σ _{UTS}	σ _{YS}	σ _{0.2}	σ _{0.01}	σ _{0.001}	σ _{0.0001}	
BC9020	20	KA, KD, MK	35	—	2	21	19.5	11.1	3.3	10.7	10.5	3
BC9025	25	KA, KD, MK	50	—	2	25	24.0	13.8	4.3	12.7	11.5	4
BC9030	30	KA, KD, MK	85	4	4	30	27.0	16.1	5.0	15.0	13.0	4
BC9040	40	KA, KD, MK	135	6	4	40	33.0	21.8	6.3	20.7	14.0	5
BC9050	50	KA, KD, MK	220	7	5	50	39.0	25.0	6.0	26.0	16.0	5
BC9060	60	KA, KD, MK	355	9	6	60	45.0	32.0	10.0	31.0	18.5	6


BC96 UNIQUE SHAPE SHACKLE HALF PROTECTED BRASS PADLOCK



1. Unique extrusion body shape
2. Case-hardened steel shackle resists sawing
3. Precision pin tumbler mechanism
4. Double locking for big size
5. For damp and wet conditions


Product Number	Size (mm)	Options	Approximate Weight (g)	Shackle Length (mm)	Shackle Width (mm)	Approximate Load Capacity (kN)						Approximate Life (cycles)
						A	B	C	D	E	F	
BC9640	40	KA, KD, MK	162	8	4	40	50	22.4	106.3	18	14	5
BC9650	50	KA, KD, MK	268	8	4	50	60	25	128	22	16	5
BC9660	60	KA, KD, MK	441	9	4	60	70	32	160	24	18.5	6

BL70 RECTANGLE TYPE BRASS PADLOCK



1. Brass lock body waterproof
2. Brass cylinder, high strength, high accuracy, anti-rust, more durable
3. 3 brass keys waterproof
4. Hardened steel shackle, anti-cutting, anti-sawing, anti-prying stainless steel shackle spring, anti-rust, more durable
5. Ball mechanism
6. Available for outdoor environment as well as commercial and industrial facility


Keyways



Product Number	Size (mm)	Material	Weight (g)	Length (mm)	Width (mm)	Height (mm)	Shackle Length (mm)	Shackle Width (mm)	Shackle Height (mm)	Shackle Thickness (mm)	Shackle Pin (mm)	Shackle Pin (mm)
BL7050	50	KA, KD, MK	193	7	2	51	10.6	14	7.8	36	15	4
BL7060	60	KA, KD, MK	294	8	3	60	10.6	20	7.8	36	15	4
BL7075	75	KA, KD, MK	482	9	4	75	14.6	25	11.8	60	18	5
BL7090	90	KA, KD, MK	623	10	5	90	19.6	30	11.8	80	18	5

BL64 RECTANGLE TYPE ARMORED BRASS PADLOCK

1. Brass lock body, hardened steel case to be more solid and anti-violent
2. Brass cylinder, high strength, high accuracy, anti-rust, high durability
3. 3 waterproof brass keys
4. Hardened steel shackle, anti-cutting, anti-sawing, anti-prying, stainless steel shackle spring, anti-rust, more durable
5. Ball mechanism, double locking
6. Brass pins, more accurate
7. Available for outdoor environment as well as commercial and industrial facility




Keyways



Product Number	Size (mm)	Material	Weight (g)	Length (mm)	Width (mm)	Height (mm)	Shackle Length (mm)	Shackle Width (mm)	Shackle Height (mm)	Shackle Thickness (mm)	Shackle Pin (mm)	Shackle Pin (mm)
BL6460	60	KA, KD, MK	515	8	2	61	11.1	22	9.8	65.8	25	6
BL6470	70	KA, KD, MK	850	9	3	70	13.2	25	9.8	81.0	25	6
BL6480	80	KA, KD, MK	890	10	4	81	18.5	30	10.8	88.5	29	6
BL6490	90	KA, KD, MK	1090	10	4	91	18.8	37	11.0	74.0	29	6

BC04 BRASS PADLOCK

1. Brass lock body artistic and waterproof grind and polish finishing available
2. Brass cylinder,high strength, high accuracy,anti-rust, more durable
3. 3 brass keys
4. Hardened steel shackle anti-cutting and anti-sawing ,stainless steel shackle spring, anti-rust and more durable
5. Brass tongue,more durable,30mm above with 2 brass tongues,double locking
6. Brass pins,more accurate
7. Available for outdoor environment



Product Description	Size (mm)	Keyway			Weight (g)	Shackle Length (mm)	Body Length (mm)	Shackle Width (mm)					Body Width (mm)	Body Height (mm)	Weight (g)
								A	B	C	D	E			
BC07520	20	KA, KD, MK			35	—	4	21	10.5	11.1	3.3	10.7	10.5	3	
BC07525	25	KA, KD, MK			50	—	4	25	24.0	13.0	4.3	12.7	11.5	4	
BC0430	30	KA, KD, MK			86	4	4	30	27.0	16.1	6.0	15.0	13.0	4	
BC0440	40	KA, KD, MK			145	6	4	40	33.0	21.8	8.3	20.7	14.0	6	
BC0450	50	KA, KD, MK			254	7	4	50	39.0	26.0	8.0	20.0	16.0	6	
BC0460	60	KA, KD, MK			394	9	4	60	45.0	32.0	10.0	21.0	18.5	6	
BC0470	70	KA, KD, MK			580	9	4	70	51.0	37.1	11.0	29.0	20.0	6	

LX01 DIAMOND TYPE BRASS PADLOCK

1. Brass lock body, artistic and waterproof
2. Brass cylinder,high strength, high accuracy,anti-rust, more durable
3. 3 brass keys,artist and waterproof
4. Hardened steel lock shackle,anti-cutting and anti-sawing,stainless Steel shackle spring anti-rust and more durable
5. Brass tongue,more durable,32mm above with 2 brass tongues, double locking
6. Brass pins,more accurate
7. Available for outdoor environment




Product Reference	Size (mm)	Configuration	Material	Shackle Length	Shackle Width	Dimensions (mm)						Weight (g)
						W	H	B	D	L	T	
LX0120	20	KA, KD, MK	—	—	4	21	19.6	11.1	3.3	10.7	10.5	3
LX0125	25	KA, KD, MK	—	—	4	26	24.0	13.9	4.3	12.7	11.5	4
LX0130	30	KA, KD, MK	—	4	4	30	27.0	16.1	6.0	15.0	13.0	4
LX0140	40	KA, KD, MK	—	6	4	40	33.0	21.8	6.3	20.7	14.0	6
LX0150	50	KA, KD, MK	—	7	4	50	39.0	25.0	8.0	20.0	16.0	6
LX0160	60	KA, KD, MK	—	9	4	60	45.0	32.0	10.0	21.0	18.5	6

BC07
THIN-TYPE BRASS
PADLOCK



- 1. Brass lock body, artistic and waterproof
- 2. Brass cylinder, high strength, high accuracy, more durable
- 3. 3 steel keys
- 4. Steel shackle£short shackle and long shackle available, stainless steel shackle spring£anti-rust more durable
- 5. Brass tongue, more durable
- 6. Brass pins, more accurate
- 7. Available for outdoor environment, small size is available for luggage

Product Number	SIZE (mm)	Description	Weight(g)	Security Level	Anti-pick Level	Shackle and lock body Dimensions						See note
						A	B	C	D	E	F	
BC0720	20	KA, KD, MK	24	—	3	20	16.5	11.5	3.0	11.0	8.0	3
BC0725	25	KA, KD, MK	34	—	3	25	16.5	13.4	3.5	13.5	8.0	3
BC0730	30	KA, KD, MK	43	3	4	30	21.0	15.4	4.3	16.2	8.5	3
BC0740	40	KA, KD, MK	77	4	4	40	26.5	22.4	5.3	23.2	9.5	4
BC0750	50	KA, KD, MK	134	5	4	49	32.0	27.9	6.3	27.7	11.0	5
BC0760	60	KA, KD, MK	208	3	4	59	37.5	34.2	7.0	35.0	12.0	5






Blossom lock Introduction
Combination Padlock Series

Convinient,Elegant



NL11 BRASS COMBINATION PADLOCK



1. Brass body
2. Steel shackle
3. 3 or 4 brass dials

Suggested uses:

Large lock: sheds, gates, storage lockers

Small lock: luggage, cabinets

Preset to open at 0000

To set your own combination:

1. With dials at 0000, pull up the shackle;
2. Turn the shackle 180 and press down;
3. Continue pressing shackle and set the dials to your new combination;
4. Lift and turn shackle to initial position;
5. To close, turn dials to scramble the combination;

To reset your combination, repeat steps 2-5




Model	Size (mm)	Material	Shackle	Weight (g)	Dimensions (mm)	Weight (g)
NL11	20*3	—	—	—	21.0 30.0 22.5 9.0 8.0 10.0	—
NL11	20*4	—	—	—	21.0 35.0 22.5 9.0 8.0 10.0	—
NL11	30*3	—	—	—	28.0 41.5 26.0 9.0 12.7 12.0	—
NL11	30*4	—	—	—	28.0 48.0 26.0 9.0 12.7 12.0	—
NL11	40*4	—	—	—	38.0 49.0 30.2 9.3 19.0 13.0	—

NL12 BRASS COMBINATION PADLOCK

Squire recodable brass combination padlocks that can set to the same code to give the "keyed alike" facility.

These locks ensure a good level of security both inside and out, with a range of commercial or domestic uses.

1. 2" (51mm) wide solid brass case for strength and weatherability
2. Hardened steel and brass shackles available
3. Set-your-own combination convenience
4. Resettable to allow for a personalized combination




Model	Size (mm)	Material	Shackle	Weight (g)	Dimensions (mm)	Weight (g)
NL12	40	—	—	—	233.6 51.5 41.4 29.0 18.0 25.0	—



Blossom Lock Introduction Stronghold Padlock Series

Distinctive Elegant Shape, Accurate Structure,
High Security, Anti-violence




HIGH SECURITY NICKLE PLATED PADLOCK

- 1. Solid steel lock body, anti-violence, anti-corrosion,
- 2. Anti-theft double brass disc case from both inner side and outer side to avoid technically opening,
high strength, high accuracy, anti-rust, high durability
- 3. 3 double disc anti-theft brass keys with unique shape as well as waterproof
- 4. Stainless steel shackle, anti-cutting, anti-sawing, anti-prying Stainless steel shackle spring,
- 5. Snake shape anti-theft brass double discs to make it more accurate and secure
- 6. Brass discs, more durable
- 7. High security, available on both commercial and industrial facility

Stainless Steel Shackle

Stainless Steel Body

7-8 Stainless leaves
Lock Mechanism
gives over 10000 key variations



Product Number	SIZE (mm)	Configuration	Weight (g)	Shackle Length (mm)	Body Length (mm)	Shackle and Body Body Dimensions						Weight (g)
LS4240	65	KA, KD, MK	660	9	4	40	33	20.8	7	20	19	5
LS4250						50	39	25	9	25	20	
LS4260						60	45	30	11	30	21	


HIGH SECURITY STAINLESS STEEL PADLOCK

- 1. Solid steel lock body, anti-violence, anti-corrosion,
- 2. Anti-theft double brass disc case from both inner side and outer side to avoid technically opening,
high strength, high accuracy, anti-rust, high durability
- 3. 3 double disc anti-theft brass keys with unique shape as well as waterproof
- 4. Stainless steel shackle, anti-cutting, anti-sawing, anti-prying Stainless steel shackle spring,
- 5. Snake shape anti-theft brass double discs to make it more accurate and secure
- 6. Brass discs, more durable
- 7. High security, available on both commercial and industrial facility

Stainless Steel Shackle

Stainless Steel Body


7-8 Stainless leaves
Lock Mechanism
gives over 10000 key variations



Product Number	SIZE (mm)	Configuration	Weight (g)	Shackle Length (mm)	Body Length (mm)	Shackle and Body Body Dimensions						Weight (g)
LS4140	65	KA, KD, MK	660	9	4	40	50	15	7	16	19	5
LS4150						50	60	20	9	20	20	
LS4160						60	70	24	11	24	21	

HIGH SECURITY PADLOCK

- 1. Solid casting steel lock body, anti-violence, anti-corrosion,
- 2. Anti-theft double brass disc case from both inner side and outer side to avoid technically opening, high strength, high accuracy, anti-rust, high durability
- 3. 3 double disc anti-theft brass keys with unique shape as well as waterproof
- 4. Hardened steel shackle, anti-cutting, anti-sawing, anti-prying Stainless steel shackle spring, anti-rust, more durable
- 5. Snake shape anti-theft brass double discs to make it more accurate and secure
- 6. Brass discs, more durable
- 7. High security, available on both commercial and industrial facility




Model	Size	Material	Weight	Finish	Certification	Dimension (mm)						Weight (g)
						A	B	C	D	E	F	
LS3240	85	KA, KD, MK	180	+	+	40	55	20.9	7	12	12.5	8
LS3250						50	70	25	9	15	12.5	
LS3260						60	80	30	11	25	12.5	

HIGH SECURITY PADLOCK



这张没有货号 and 尺码资料



Model	Size	Material	Weight	Finish	Certification	Dimension (mm)						Weight (g)
						A	B	C	D	E	F	
LS3540	86	KA, KD, MK	180	+	+	40	55	20.9	7	12	12.5	8
LS3550						50	70	25	9	15	12.5	
LS3560						60	80	30	11	25	12.5	



ST50

ROUND SHAPE DISC

ANTI-THEFT STEEL LOCK

1. Solid casting steel lock body, anti-violence, anti-corrosion,
2. Anti-theft double brass disc case from both inner side and outer side to avoid technically opening, high strength, high accuracy, anti-rust, high durability
3. 3 double disc anti-theft brass keys with unique shape as well as waterproof
4. Hardened steel shackle, anti-cutting, anti-sawing, anti-prying
5. Snake shape anti-theft brass double discs to make it more accurate and secure
6. Brass discs, more durable
7. High security, available on both commercial and industrial facility

Hardened Steel Shackle

Hardened Steel Body

7-8 Brass leaves
Lock Mechanism
gives over 10000 key variations




Keyed Alike Available



Product Number	SIZE (mm)	Description	Weight(g)	Security Level	Anti-theft Level	Shackle and lock body Dimensions						No pins
						A	B	C	D	E	F	
ST5065	65	KA, KD, MK	660	9	4	65	55.6	30	11	24	28	5

HAMMER STEEL PADLOCK



1. Solid casting steel lock body, anti-violence, anti-corrosion
2. Anti-theft double brass disc case from both inner side and outer side to avoid technically opening, high strength, high accuracy, anti-rust, high durability
3. 3 double disc anti-theft brass keys with unique shape as well as waterproof
4. Hardened steel shackle, anti-cutting, anti-sawing, anti-prying
Stainless steel shackle spring, anti-rust, more durable
5. Snake shape anti-theft brass double discs to make it more accurate and secure
6. Brass discs, more durable
7. High security, available on both commercial and industrial facility



Model	Shackle Size	Shackle Material	Shackle Finish	Shackle Shape	Shackle Length	Shackle Width	Shackle Height	Shackle Weight	Shackle Strength
BL7285	85mm	KA	RD	AK	1110	83	18	12.6	36
BL7285	85mm	KA	RD	AK	1250	95	18	12.8	40

BI72 RECTANGLE TYPE DOUBLE DISC ANTI-THEFT STEEL LOCK

1. Solid casting steel lock body, anti-violence, anti-corrosion
2. Anti-theft double brass disc case from both inner side and outer side to avoid technically opening, high strength, high accuracy, anti-rust, high durability
3. 3 double disc anti-theft brass keys with unique shape as well as waterproof
4. Hardened steel shackle, anti-cutting, anti-sawing, anti-prying
Stainless steel shackle spring, anti-rust, more durable
5. Snake shape anti-theft brass double discs to make it more accurate and secure
6. Brass discs, more durable
7. High security, available on both commercial and industrial facility



Model	Shackle Size	Shackle Material	Shackle Finish	Shackle Shape	Shackle Length	Shackle Width	Shackle Height	Shackle Weight	Shackle Strength
BL7236	85mm	KA	RD	AK	1110	83	18	12.6	36
BL7285	85mm	KA	RD	AK	1250	95	18	12.8	40

RUSTPROOF WEATHERPROOF PADLOCK



Made In China

Blossom lock Introduction
Stainless Steel Padlock Series

Waterproof, Anti-rust, Suitable for Outdoor Use


HIGH SECURITY STAINLESS STEEL PADLOCK

- 1.Solid Stainless steel lock body, anti-violence, anti-corrosion,
- 2.Anti-theft double brass disc case from both inner side and outer side to avoid technically opening,
high strength, high accuracy, anti-rust, high durability
- 3.3 double disc anti-theft brass keys with unique shape as well as waterproof
- 4.Stainless steel shackle, anti-cutting, anti-sawing, anti-prying Stainless steel shackle spring,
- 5.Snake shape anti-theft brass double discs to make it more accurate and secure
- 6.Brass discs, more durable
- 7.High security, available on both commercial and industrial facility

Stainless Steel Shackle

Stainless Steel Body

7-8 Stainless leaves
Lock Mechanism
gives over 10000 key variations



Product Series	Size (mm)	Dimensions (mm)	Weight (g)	Material	Finish	Shackle Length (mm)	Shackle Width (mm)	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Pin Diameter (mm)	Shackle Pin Length (mm)	Shackle Pin Width (mm)	Shackle Pin Height (mm)
LS4540	55	KA, KD, MK	680	9	4	40	33	20.8	7	20	19	5	
LS4550						50	38	25	9	25	20		
LS4560						60	45	30	11	30	21		


HIGH SECURITY STAINLESS STEEL PADLOCK

- 1.Solid Stainless steel lock body, anti-violence, anti-corrosion,
- 2.Anti-theft double brass disc case from both inner side and outer side to avoid technically opening,
high strength, high accuracy, anti-rust, high durability
- 3.3 double disc anti-theft brass keys with unique shape as well as waterproof
- 4.Stainless steel shackle, anti-cutting, anti-sawing, anti-prying Stainless steel shackle spring,
- 5.Snake shape anti-theft brass double discs to make it more accurate and secure
- 6.Brass discs, more durable
- 7.High security, available on both commercial and industrial facility

Stainless Steel Shackle

Stainless Steel Body

7-8 Stainless leaves
Lock Mechanism
gives over 10000 key variations



Product Series	Size (mm)	Dimensions (mm)	Weight (g)	Material	Finish	Shackle Length (mm)	Shackle Width (mm)	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Pin Diameter (mm)	Shackle Pin Length (mm)	Shackle Pin Width (mm)	Shackle Pin Height (mm)
LS4640	65	KA, KD, MK	860	9	4	40	30	15	7	15	19	5	
LS4650						50	30	20	9	20	20		
LS4660						60	40	24	11	24	21		

DP90 ROUND SHAPE STAINLESS STEEL PADLOCK


Brass plug

Stainless steel body

Hardened Steel Shackle



1. Stainless steel lock body, waterproof, anti-corrosion
2. Brass cylinder, high strength, high accuracy, anti-rust, high durability
3. 3 waterproof brass keys
4. Hardened steel shackle, anti-cutting, anti-sawing, anti-prying
5. Iron tongue
6. Brass pins, more accurate
7. Available for outdoor environment as well as car



BC92 STAINLESS STEEL PADLOCK

Stainless Steel Shackle

Stainless steel body

5-6 Pin-tumbler
Lock Mechanism



1. Stainless steel lock body, water proof, anti-corrosion
2. Brass cylinder, high strength, high accuracy, anti-rust, high durability
3. 3 waterproof brass keys
4. Stainless steel shackle, stainless steel shackle spring, anti-rust, more durable
5. 2 brass tongues, more durable, double locking
6. Brass pins, more accurate
7. Available for outdoor environment




Model	Size (mm)	Material	Weight (g)	Length (mm)	Width (mm)	Height (mm)	Shackle and Body (mm) Dimensions						Rating
Model	Size (mm)	Material	Weight (g)	Length (mm)	Width (mm)	Height (mm)	A	B	C	D	E	F	Rating
DP0060	60	KA, KD, MK	170	6	6	60	16.0	12	8	26.0	26		4
DP0070	70	KA, KD, MK	220	9	6	70	22.5	16	10	29.5	30		4
DP0080	80	KA, KD, MK	385	10	6	80	28.0	20	12	32.5	30		4
DP0090	90	KA, KD, MK	425	10	6	90	34.0	24	14	35.5	30		4

Model	Size (mm)	Material	Weight (g)	Length (mm)	Width (mm)	Height (mm)	Shackle and Body (mm) Dimensions						Rating
Model	Size (mm)	Material	Weight (g)	Length (mm)	Width (mm)	Height (mm)	A	B	C	D	E	F	Rating
BC9230	30	KA, KD, MK		4	5	30	27	16.1	5.0	15.0	13.0		4
BC9240	40	KA, KD, MK		6	6	40	33	21.8	6.3	20.7	18.0		5
BC9250	50	KA, KD, MK		7	6	50	39	25.0	8.0	26.0	16.0		5
BC9260	60	KA, KD, MK		8	6	60	45	32.0	10.0	31.0	18.5		5

LS05
DIAMOND TYPE SHACKLE HALF
PROTECTED DISC MECHANISM IRON PADLOCK




- 1. Cast steel body with black plastic waterproof cover
- 2. Brass disc case, high strength, high accuracy, anti-rust, more durable
- 3. 4 waterproof plastic headed steel keys
- 4. Hardened steel shackle, anti-cutting, anti-sawing, anti-prying, stainless steel shackle spring, anti-rust, more durable
- 5. Ball mechanism, double locking
- 6. Brass discs, more accurate
- 7. Brass discs, more durable
- 8. Available for outdoor environment




Product Number	Size (mm)	Configuration	Weight (kg)	Shackle Length (mm)	Shackle Width (mm)	Shackle and Lock Body Dimensions						Total Length
						A	B	C	D	E	F	
LS0550	50	KA, KD, MK	325	7	5	50	45	19.5	8.8	21.5	23.5	8
LS0560	60	KA, KD, MK	485	8	5	61.5	53	25.0	10.8	24.5	25.5	8

QC03
LAMINATED STEEL WITH PVC COATED
PADLOCK

- 1. Steel lock body with plastic bumper
- 2. Brass cylinder™ high strength™ high accuracy,anti- rust, more durable
- 3. 3 steel keys
- 4. Steel shackle™ bigger size with hardened steel shackle, anti-cutting, anti-sawing
- 5. Brass pins, more accurate



Product Number	Size (mm)	Configuration	Weight (kg)	Shackle Length (mm)	Shackle Width (mm)	Shackle and Lock Body Dimensions						Total Length
						A	B	C	D	E	F	
QC0330	30	KA, KD, MK	121	3	3	31	27.0	23.8	8.3	14.3	20.0	4
QC0340	40	KA, KD, MK	170	5	3	41	37.0	22.3	6.5	20.5	26.0	4
QC0350	50	KA, KD, MK	375	7	4	51	40.0	28.5	9.5	22.3	30.0	5
QC0365	65	KA, KD, MK	604	8	4	65	46.0	33.5	11.0	28.5	33.0	5



Blossom lock Introduction
Traditional padlock series

Traditional Product, Innovative Process, Economy Price



- 1. Iron lock body, black plastic powder painted, waterproof and environment protective
- 2. Brass cylinder, high strength, high accuracy, anti-rust, more durable
- 3. 3 steel keys
- 4. Steel shackle with 2 waterproof rings to resist dust and water, short shackle or long shackle available, stainless steel shackle spring, anti-rust, more durable
- 5. Brass tongue, more durable, 32mm above with 2 brass tongues, double locking
- 6. Brass pins, more accurate

Hardened Steel Shackle

Iron lock body

3-6 Pin tumbler
Lock Mechanism



Keyways



Keyed Alike Available



Product Number	SIZE (mm)	Description	Weight(g)	Security Level	Anti-pick Level	Shackle and lock body Dimensions						No pins
						A	B	C	D	E	F	
BC1320	20		28.6	0	1	21	19.5	11.1	3.3	10.7	11.0	3
BC1325	25		48.0	0	1	25	24.0	13.8	4.3	12.7	12.5	4
BC1330	30		96.4	3	2	32	30.0	16.4	5.3	16.7	15.0	5
BC1340	40		149.6	5	3	38	34.0	21.7	6.3	19.7	17.7	5
BC1350	50		318.9	7	3	50	41.0	25.0	9.0	25.0	23.0	6
BC1360	60		546.7	9	3	63	48.0	32.3	10.5	32.5	26.5	6
Bc1375	75		789.3	9	3	75	58.0	40.5	12.0	39.0	28.0	6



QC01

LAMINATED PADLOCK

1. Steel lock body with plastic bumper
2. Brass cylinder™ high strength™ high accuracy, anti-rust, more durable
3. 3 steel keys
4. Steel shackle™ bigger size with hardened steel shackle, anti-cutting, anti-sawing
5. Brass pins, more accurate


Hardened Steel Shackle

Laminated Steel Body

4-5 Pin tumbler
Lock Mechanism



Keyed Alike Available



■ Keyways



Product Number	Size (mm)	Description	Weight(g)	Security Level	Anti-drift Level	Shackle and lock body Dimensions						No. of pins
						A	B	C	D	E	F	
QC0130	30	KA, KD, MK	121	3	3	31	27.0	23.8	6.3	14.3	20.0	4
QC0140	40	KA, KD, MK	170	5	3	41	37.0	22.3	6.5	20.5	26.0	4
QC0150	50	KA, KD, MK	375	7	4	51	40.0	28.5	9.5	22.3	30.0	5
QC0160	65	KA, KD, MK	604	8	4	65	46.0	33.5	11.0	28.5	33.0	5


BC29

UNIQUE SHAPE BLUE PLASTIC POWDER
PAINTED IRON PADLOCK

Hardened Steel Shackle

Iron lock body

3-6 Pin tumbler
Lock Mechanism



1. Iron lock body, blue plastic powder painted, waterproof and environment protective
2. Brass cylinder, high strength, high accuracy, anti-rust, more durable
3. 3 steel keys
4. Steel shackle with 2 waterproof rings to resist dust and water
Stainless steel shackle spring, more durable
5. Brass tongue, more durable, 30mm above with 2 brass tongues, double locking
6. Brass pins, more accurate

Keyed Alike Available



Product Number	SIZE (mm)	Lock Cylinder	Weight(g)	Security Level	Anti-pick Level	Shackle and Lock Body Dimensions						No. pins
						A	B	C	D	E	F	
BC2920	20	KA, KD, MK	28.6	0	1	21	19.5	11.1	3.3	10.7	11.0	3
BC2925	25	KA, KD, MK	48.0	0	1	25	24.0	13.8	4.3	12.7	12.5	4
BC2932	32	KA, KD, MK	85.0	3	2	32	30.0	16.1	5.3	15.0	13.5	4
BC2938	38	KA, KD, MK	138.0	5	3	38	34.0	21.8	6.3	17.0	15.0	5
BC2950	50	KA, KD, MK	284.0	7	3	50	41.0	26.0	8.0	26.0	17.0	6
BC2960	60	KA, KD, MK	494.0	9	3	60	48.0	32.0	10.0	31.0	20.0	6
BC2975	75	KA, KD, MK	720.0	9	3	74	56.0	34.1	12.0	37.0	24.5	6

BJ30

ROUND TYPE PLASTIC
COVERED PIN MECHANISM IRON PADLOCK

1. Iron lock body, chrome plated, with colorful waterproof plastic Cover ,many colors available
2. Brass cylinder, high strength, high accuracy, anti- rust, more durable
3. 3 steel keys with unique shape
4. 30mm above with hardened steel shackle with two waterproof Rings to resist dust and water, anti-cutting, anti-sawing
5. Brass tongue, more durable, 38mm above with 2 brass tongues, Double locking
6. Brass pins, more accurate
7. Shape of lb03 is patented, patent number is :.zl200630105351.5

Hardened Steel Shackle

Iron lock body

5-6 Pin tumbler
Lock Mechanism



This lock is available in four colors



Keyed Alike Available




Product Number	SIZE (mm)	Lock Cylinder	Weight(g)	Security Level	Anti-pick Level	Shackle and Lock Body Dimensions						No. pins
						A	B	C	D	E	F	
BJ3020	20	KA, KD, MK	28.6	0	1	21	19.5	11.1	3.3	10.7	11.0	3
BJ3025	25	KA, KD, MK	48.0	0	1	25	24.0	13.8	4.3	12.7	12.5	4
BJ3032	32	KA, KD, MK	85.0	3	2	32	30.0	16.1	5.3	15.0	13.5	4
BJ3038	38	KA, KD, MK	138.0	5	3	38	34.0	21.8	6.3	17.0	15.0	5
BJ3050	50	KA, KD, MK	284.0	7	3	50	41.0	26.0	8.0	26.0	17.0	6
BJ3060	60	KA, KD, MK	494.0	9	3	60	48.0	32.0	10.0	31.0	20.0	6
BJ3075	75	KA, KD, MK	720.0	9	3	74	56.0	34.1	12.0	37.0	24.5	6

SQUARE SHAPE DISC MECHANISM IRON PADLOCK

- 1. Cast steel body, chrome plated, future can be steel lock body, more durable
- 2. Brass disc case, high strength, high accuracy, more durable
- 3. 3 disc mechanism iron keys, future can be with unique key shape
- 4. Half protected steel shackle, anti-prying
- 5. Ball mechanism, double locking
- 6. Brass disc, more accurate
- 7. Brass disc, more durable





- 1. Iron body with chrome plating is strong durable
- 2. Hardened steel shackle
- 3. Disc mechanism system



Product Number (Model)	Size (mm) (Inch)	Disc Mechanism (Type)	Shackle Length (mm) (Inch)	Shackle and Pad Body Dimensions (mm) (Inch)						Weight (g) (oz)
				A	B	C	D	E	F	
LS2140	40mm	KA, KD, MK	234	40	32.3	26.4	7.2	19.8	20	8
LS2150	50mm	KA, KD, MK	350	50	38.0	31.5	9.8	23.2	20	8
LS2160	60mm	KA, KD, MK	460	60	42.0	34.1	10.8	26.2	20	8
LS2170	70mm	KA, KD, MK	576	70	48.0	37.6	11.8	33.2	20	8

SHACKLE PROTECTED DISC MECHANISM IRON PADLOCK

- 1. Cast steel body, chrome plated, future can be steel lock body, more durable
- 2. Brass disc case, high strength, high accuracy, more durable
- 3. 3 disc mechanism iron keys, future can be with unique key shape
- 4. Half protected steel shackle, anti-prying
- 5. Ball mechanism, double locking
- 6. Brass disc, more accurate
- 7. Brass disc, more durable




Product Number	Size (mm) (in)	Discry/Am	Wedge (kg)	Subs/Am	Subs/Am	Dimensions (mm) (in)						Material
						Wedge	Subs	Subs	Subs	Subs	Subs	
LS2340	40	KA, KD, MK	333	5	4	40	55	26.4	7.2	19.8	20	8
LS2350	50	KA, KD, MK	479	8	4	50	65	31.5	9.8	23.2	20	8
LS2360	60	KA, KD, MK	583	9	4	60	75	34.1	10.8	26.2	20	8
LS2370	70	KA, KD, MK	692	9	4	70	85	37.6	11.8	33.2	20	8

LX06 DIAMOND TYPE PLASTIC COVERED DISC MECHANISM IRON PADLOCK

Hardened Steel Shackle

Hardened Steel Body

8 Brass leaves
Lock Mechanism
gives over 10000 key variations



1. Iron lock body, chrome plated, with black waterproof plastic cover
2. Brass disc case, high strength, high accuracy, anti-rust, more durable
3. 3 waterproof plastic headed steel keys
4. Steel shackle with 2 waterproof rings to resist dust and water
5. Ball mechanism, double locking
6. Brass discs, more accurate
7. Brass discs, more durable
8. Shape of lx06 is patented, patent number is :zl200630105351.5

Model	Shackle Size (mm)	Body Size (mm)	Shackle Length (mm)	Shackle Width (mm)	Shackle Thickness (mm)	Shackle Material	Shackle Color	Shackle Weight (g)	Shackle Strength (N)	Shackle Tensile (N)	Shackle Yield (N)	Shackle Elongation (%)	Shackle Impact (J)
LX0640	40	KA, KD, MK	231	6	4	40	32.5	21.8	7.2	19.8	25.4	6	4
LX0650	50	KA, KD, MK	346	8	4	50	38.0	31.5	9.8	23.2	27.8	8	6
LX0660	60	KA, KD, MK	590	9	4"	60	45.0	34.1	10.8	26.2	31.0	8	6

LB03 DIAMOND TYPE PLASTIC COVERED PIN MECHANISM IRON PADLOCK

1. Iron lock body,chrome plated, with colorful waterproof plastic Cover ,many colors available
2. Brass cylinder,high strength, high accuracy,anti- rust, more durable
3. 3 steel keys with unique shape
4. 30mm above with hardened steel shackle with two waterproof Rings to resist dust and water, anti-cutting,anti-sawing
5. Brass tongue,more durable,38mm above with 2 brass tongues,Double locking
6. Brass pins,more accurate
7. Shape of lb03 is patented, patent number is :zl200630105351.5

Hardened Steel Shackle

Iron lock body

5-6 Pin tumbler
Lock Mechanism

This lock is available in four colors




Model	Shackle Size (mm)	Body Size (mm)	Shackle Length (mm)	Shackle Width (mm)	Shackle Thickness (mm)	Shackle Material	Shackle Color	Shackle Weight (g)	Shackle Strength (N)	Shackle Tensile (N)	Shackle Yield (N)	Shackle Elongation (%)	Shackle Impact (J)
LB0325	25	KA, KD, MK	50	3	3	25	24.5	13.8	4.5	12.7	13.0	4	4
LB0330	30	KA, KD, MK	63	3	3	30	27.0	17.0	5.0	14.8	14.0	4	4
LB0340	40	KA, KD, MK	158	3	3	40	33.0	21.8	6.3	17.0	19.0	4	4
LB0350	50	KA, KD, MK	285	3	3	50	39.0	26.0	8.0	26.0	21.0	5	5
LB0360	60	KA, KD, MK	480	3	3	60	45.0	32.0	10.0	31.0	25.0	6	6
LB0370	70	KA, KD, MK	550	3	3	70	51.0	34.1	11.0	37.0	28.0	6	6

BL63

ARMORED IRON PADLOCK


1. Durable iron body with hardened steel shell coated
2. Case-hardened steel shackle resists sawing and cutting
3. Double ball locking
4. Precision pin tumbler mechanism
5. High security, for all uses, including industrial and commercial applications



BL73


RECTANGLE TYPE BLUE PLASTIC
POWDER PAINTED IRON PADLOCK

1. Iron lock body with blue plastic powder painted, waterproof and environment protective
2. Brass cylinder, high strength, high accuracy, anti-rust, more durable
3. 3 brass keys waterproof
4. Hardened steel shackle, anti-cutting, anti-sawing, anti-prying stainless steel shackle spring, anti-rust, more durable
5. Ball mechanism
6. Available for outdoor environment as well as commercial and industrial facility
7. Double notches with chain is also available




BC89 CAST IRON PADLOCK

1. Cast iron lock body, black color painted
2. Brass cylinder, high strength, high accuracy, anti-rust, more durable
3. 3 steel keys
4. Steel shackle, stainless steel shackle spring, anti-rust and more durable
5. Brass tongue, more durable, bigger size with 2 brass tongues, double locking
6. Brass pins, more accurate



Product Number	SIZE (mm)	Dimension	Weight (g)	Material	Material	Material	Material	Material	Material	Material	Material	Material
BC8920	20	KA, KD, MK	42.1	3	1	21	20	11.1	3.3	10.7	11.5	3
BC8925	25	KA, KD, MK	57.8	3	2	25	24	13.8	4.3	12.7	12.0	4
BC8930	30	KA, KD, MK	95.3	5	3	30	27	16.1	5.0	15.0	13.0	4
BC8940	40	KA, KD, MK	158.6	7	2	40	33	21.8	8.3	20.7	14.0	5
BC8950	50	KA, KD, MK	283.5	8	4	50	39	26.0	8.0	26.0	18.0	5
BC8960	60	KA, KD, MK	480.5	9	4	60	45	32.0	10.0	31.0	18.5	6
BC8975	75	KA, KD, MK	794.1	9	4	75	58	40.0	12.0	39.0	23.0	6

HK01 SIDE OPENING IRON PADLOCK



1. Iron lock body, different colors of plastic powder painted available, green, black, golden color available
2. Brass cylinder, high strength, high accuracy, anti-rust, more durable
3. Steel keys, 2, 3 or 4 pcs is optional
4. Steel shackle
5. Brass pins, more accurate

Product Number	SIZE (mm)	Dimension	Weight (g)	Material	Material	Material	Material	Material	Material	Material	Material	Material
HK0115	15	KA, KD, MK	21.0	0	1	10	17.6	9.5	3.0	9.0	10.5	3
HK0120	20	KA, KD, MK	29.6	0	1	20	19.0	11.5	3.5	10.0	11.0	3
HK0125	25	KA, KD, MK	52.0	0	1	25	24.0	15.0	4.5	12.0	13.0	4
HK0130	30	KA, KD, MK	57.7	1	2	30	27.5	18.0	5.2	14.8	13.5	4
HK0140	40	KA, KD, MK	135.1	3	3	40	36.0	23.0	6.3	20.7	14.0	5
HK0115	15	KA, KD, MK	22.0	0	1	18	17.6	8.5	3.0	9.0	10.5	3
HK0120	20	KA, KD, MK	26.0	0	1	20	19.0	11.5	3.5	10.0	11.0	3
HK0125	25	KA, KD, MK	50.0	0	1	25	24.0	15.0	4.5	12.0	13.0	4
HK0130	30	KA, KD, MK	55.0	1	2	30	27.5	18.0	5.2	14.8	13.5	4
HK0140	40	KA, KD, MK	130.1	3	3	40	34.5	23.0	6.2	20.9	14.0	5

Blossom lock Introduction
Combination Padlock Series





NL05C

ROUND TYPE ALUMINIUM ALLOY COMBINATION PADLOCK

Squire recodable brass combination padlocks that can set to the same code to give the “keyed alike” facility.

These locks ensure a good level of security both inside and out, with a range of commercial or domestic uses.

1. World's best selling combination lock
2. 1-7/8" (48mm) wide double-armored aluminum steel body
3. Hardened steel shackle for extra cut resistance
4. Combination security for keyless convenience
5. 3—digit dialing and 1,500 combinations for maximum security

Steel Shackle


Resettable Combination
Thousands of combinations



Product Application	Size (mm)	Dimensions	Weight(g)	Shackle Length (mm)	Shackle Width (mm)	Shackle & Body Dimensions						Max. Load
NL0545	45	—	82.6	6	2	50	45	19.5	8.8	21.5	23.5	—
NL0550	50	—	116.6	7	2	61.5	53	25.0	10.8	24.5	25.5	—

NL42 ZINC ALLOY BALL MECHANISM COMBINATION PADLOCK

- 1. Zinc alloy lock body
- Steel shackle . 2
- zinc alloy dials . 3
- Steel ball mechanism . 4
- Without keys . 5




NL120 BRASS COMBINATION LOCK

Squire recodable brass combination padlocks that can set to the same code to give the "keyed alike" facility. These locks ensure a good level of security both inside and out, with a range of commercial or domestic uses.



Double Blister Packing

Model Number	Shackle Size (mm)	Shackle Length (mm)	Body Length (mm)	Body Width (mm)	Body Height (mm)	Shackle Dimensions (mm)					Shackle Material
NL42	25	—	167.2	51	51	60.0	26.0	50.4	27	37	—






Blossom lock Introduction
Luggage Padlock Series




Blossom lock Introduction Luggage Padlock Series

Beautiful and Fashional, Light and Convinient,
Brings Decoration and Ease During your Travel



LB05

Aluminium Lock Body with PVC coated
Hardened steel shackle
Brass Cylinder
2 Steel Keys





Product Number	Size (mm)	Description	Dimensions (mm)	Weight (g)
			A B C D E F	
LB0520	20mm	KA, KD, MK	24 21 11.2 3.3 10.7 13.8	3
LB0530	30mm	KA, KD, MK	33.2 27 18 5 15 16	4
LB0540	40mm	KA, KD, MK	43.2 33 22.3 6.3 20.7 16.5	4

9800 VINYL COATED BRASS PADLOCK

The padlock with protection of a strong vinyl cover. The vinyl cover is available in three attractive colors and provides protection, not only for the padlock, but also for the equipment being secured. the padlock are therefore highly suitable for securing luggage, tool boxes, sports equipment and for many other uses.

- General Specification**
- Function - open sprung shackle
 - Solid brass body, vinyl coated
 - 3 colors available, red, blue & black
 - Steel shackle
 - Anti pick key profile
 - 3 brass keys, nicke plated



Product Number	Size (mm)	Description	Dimensions (mm)	Weight (g)
			A B C D E F	
9820	20mm	KA, KD, MK	23.8 19.7 11.0 3.3 10.7 13.1	3
9830	30mm	KA, KD, MK	33.4 28.0 18.0 5.0 15.0 16.4	4
9840	40mm	KA, KD, MK	43.4 33.0 22.0 6.3 20.7 17.4	4

BX03 UNIQUE SHAPE PLASTIC COVERED ALUMINUM PADLOCK



1. Aluminum lock body, chrome plated, with colored waterproof plastic cover, several colors available
2. Brass cylinder, high strength, high accuracy, anti-rust, more durable
3. 3 stainless steel keys with unique shape
4. Hardened steel shackle. Anti-cutting, anti-sawing tainless steel shackle spring, more durable
5. Brass tongue, more durable, 38mm above with 2 brass tongues, double locking
6. Brass pins, more accurate



Model	Size (mm)	Lock Cylinder	Shackle (mm)	Body (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)
BX0320	20	KA, KD, MK	—	0	1	21	21	11.2	Ø3.3	10.7	10.5	3
BX0325	25	KA, KD, MK	—	0	1	25	24	13.9	Ø4.3	12.7	11.5	4
BX0330	30	KA, KD, MK	—	0	1	32	30	15.8	Ø5.3	16.7	13.5	4
BX0340	40	KA, KD, MK	—	0	1	38	34	21.4	Ø6.3	19.7	15	5
BX0350	50	KA, KD, MK	—	0	1	50	41	27	Ø8	26	18	6
BX0360	60	KA, KD, MK	—	0	1	63	50	32	Ø10.8	32.5	21	6
BX0370	70	KA, KD, MK	—	0	1	74	58	40	Ø12	39	24	6

NH10/NA10 A TYPE H TYPE ZINC ALLOY LUGGAGE PADLOCK



The padlock with protection of a strong vinyl cover. The vinyl cover is available in three attractive colors and provides protection, not only for the padlock, but also for the equipment being secured. The padlock are therefore highly suitable for securing luggage, tool boxes, sports equipment and for many other uses.




Model	Size (mm)	Lock Cylinder	Shackle (mm)	Body (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)	Shackle (mm)
NH10/NA10	—	—	35	1	1	50	45	18.5	8.8	21.5	23.5	2



NL23A
SQUARE TYPE ZINC
ALLOY COMBINATION PADLOCK

- 1.zinc alloy lock body, chrome plated or black color painted
- 2.zinc alloy dials
- 3.zinc alloy button
- 4.available for luggage



Product Number	SIZE (mm)	Description	Weight(g)	Security Level	Antisepsis Level	Shackle and lock body Dimensions						No pins
						A	B	C	D	E	F	
NL23A	20*3	—	34.4	—	4	22.1	32.7	18.5	Ø3.2	8.8	11	—
NL23A	30*3	—	61	2	4	31.2	37.3	20.4	Ø4.8	14	13	—

NL410

ROUND SHAPE ZINC ALLOY COMBINATION PADLOCK

1. Zinc alloy lock body, different colors painted available
2. Steel cable
3. Zinc alloy dials
4. Available for luggage



NL310


ALUMINIUM ALLOY COMBINATION PADLOCK

Resettable Combination
Thousands of combinations

Solid Brass Body


Steel Shackle

1. Aluminium alloy lock body, different colors painted available
2. Aluminium alloy dials
3. Available for mountaineering bag



Product Number	Size (mm)	Description	Weight (g)	Material	Lock Body Material	Shackle Material	Shackle Length (mm)	Shackle Width (mm)	Shackle Thickness (mm)	Shackle Diameter (mm)	Shackle Shape	Shackle Color
NL410	—	—	30.4	2	—	—	37	39.6	40	22.3	3	—

Product Number	Size (mm)	Description	Weight (g)	Material	Lock Body Material	Shackle Material	Shackle Length (mm)	Shackle Width (mm)	Shackle Thickness (mm)	Shackle Diameter (mm)	Shackle Shape	Shackle Color
NL310	—	—	51.4	1	—	2	105.5	91.1	64.2	18.2	0	—



NL21
ZINC ALLOY COMBINATION
PADLOCK

- 1. Zinc alloy lock body, different colors painted available
- 2. Zinc alloy dials
- 3. Zinc alloy button
- 4. Available for luggage



Product Number	SIZE (mm)	Description	Weight(g)	Security Level	Antisepsis Level	Shackle and lock body Dimensions						No.pins
						A	B	C	D	E	F	
NL21	20	—	23	—	4	20.8	38	18.1	3	9	—	—

Blossom lock Introduction
Colorful padlock series





Blossom lock Introduction
Colorful padlock series

Fashion Unique Artistic
Beautiful Aesthetic Pleasure



BC13B THICK TYPE COLORFUL IRON PADLOCK

BLOSSOM Combination Padlock Series

/ 58,59

1. Iron lock body, new process to form colorful shape
2. Brass cylinder, high strength, high accuracy, anti-rust, high durability
3. 3 iron keys
4. Steel shackle with 2 waterproof rings to prevent from dust and water
5. Brass tongue, more durable, 32mm above is with 2 brass tongues, double locking
6. Brass pins, more accurate
7. Beautiful cultural lock can be used as collection, gifts as well as luggage padlock




Product Number	Size (mm)	Description	Weight(g)	Security Level	Anti-pick Level	Shackle and lock body Dimensions						Depth
						A	B	C	D	E	F	
BC13B20	20	KA, KD, MK	28.6	—	1	21	19.5	11.1	3.3	10.7	11.0	3
BC13B25	25	KA, KD, MK	48.0	—	1	25	24.0	13.8	4.3	12.7	12.5	4
BC13B32	32	KA, KD, MK	96.4	4	1	32	30.0	16.4	5.3	16.7	15.0	5
BC13B38	48	KA, KD, MK	149.6	5	1	38	34.0	21.7	6.3	19.7	17.7	5



NL23B
SQUARE TYPE COLORFUL ZINC
ALLOY COMBINATION PADLOCK

- 1. Zinc alloy lock body, new process to form colorful shape
- 2. Steel shackle
- 3. 3 zinc alloy dials
- 4. Beautiful cultural lock can be used as collection, gifts as well as luggage padlock



Product Number	SIZE (mm)	Description	Weight(g)	Security Level	Anti-spoof Level	Shackle and lock body Dimensions						Weight
						A	B	C	D	E	F	
NL23B	20*3		34.4	0	1	22.1	32.7	18.5	Ø3.2	8.8	11	—
NL23B	30*3		61	1	1	31.2	37.3	20.4	Ø4.8	14	13	—